

Building for Efficiency: Home Appliance Cost and Emissions Comparison



Contents

- I. Overview and Key Findings
- II. An Introduction to the Residential Natural Gas Marketplace
- III. Modeling New Home Energy Performance
- IV. The Value of Natural Gas and Emissions Reduction
- V. Future Steps

This analysis examines energy, cost, and emissions characteristics of new homes based on appliances and fuels

- This AGA study evaluates energy costs and emissions for typical new single-family homes for different appliances and fuels using a full-fuel-cycle methodology to examine energy use and greenhouse gas emissions.


New Construction Household Performance Examined	
Monthly Energy Costs	Greenhouse Gas Emissions

Appliances	Energy Sources
Space Heating	Electricity
Water Heating	Natural Gas
Cooking	Renewable Natural Gas
Clothes Drying	

Key findings: A typical new home with natural gas shows the lowest annual energy costs and often the lowest greenhouse gas emissions for space heating, water heating, cooking, and clothes drying applications.

Cost Comparison of Gas and Equivalent Electric Appliances

Average Annual Cost in Dollars



Cost Savings: A baseline natural gas new home costs \$1,132 per year less than an equivalent baseline all-electric household.

Homes Prefer High-Efficiency Gas: Over 75% of new homes with natural gas install a 90%+ efficient furnace. In moderate to cold climates, customers prefer gas to electric heat pumps by 5 to 1 with 92% of central ducted heat pumps sold before 2020 rated below 9.2 HSPF.

Greenhouse Gas Reductions: A condensing natural gas furnace installed today in an all-gas home can cut lifetime emissions by 17% compared to the typical all-electric household. Matched to an all-electric home with a cold climate heat pump, natural gas typically can equal or exceed emissions reductions while cutting lifetime costs by thousands.


New Consumer Solutions: Natural gas heat pumps, hybrid gas-electric systems, and renewable natural gas options can reduce costs and emissions more cost-effectively than many electric or most typical natural gas home configurations.

An Introduction to the Residential Natural Gas Marketplace




The Critical Role of Infrastructure in Gas vs. Electric Heating Comparisons

All Households



Based on market share alone, 61% of homes use natural gas, and 39% do not. Without exploring the data further, a policy might assume any home is just as likely to use electricity for heating as a natural gas.

Households with Access to Natural Gas




The missing factor is infrastructure and without considering it as a separate geographic boundary, any analysis would miss that wherever gas is available, most homes use it because of the cost benefits.

84% of homes with access to natural gas use it for one or more appliances. Most of the growth in high-efficiency heat pumps has occurred outside this boundary.

Most consumers use natural gas for space heating when gas service is available. Electric heat pumps are typically installed in homes without access to natural gas.


Primary Space Heating Equipment Installed

Million Households



Natural gas and electric heat pumps serve as complementary solutions in advancing residential energy efficiency, each catering to diverse consumer needs and preferences.

Households without Access to Natural gas




- 60% of all electric heat pumps installed are in homes without natural gas service.
- Only 29% of households without natural gas service use a heat pump for primary space heat.

In 2023, 44% of all new single-family homes installed natural gas. Outside of the Southern US, there is generally a high market penetration for natural gas, with 5 to 1 new homes installing natural gas.

New Single-Family Home Market by Region


Thousands of Homes Built in 2023



Natural Gas Furnaces

Installed base by efficiency/product class

75% average condensing installation rate for new homes and businesses. 90% or more in the coldest climates.



Left: U.S. Census Bureau, Characteristics of Residential New Construction

Right: U.S. Department of Energy, Rulemaking on Energy Conservation Standards for Non-Weatherized Gas Furnaces

Details on Modeling Energy Performance in a New Home



Methodology

This analysis models the typical **single-family newly constructed 2,400 sq ft home**, meeting the 2021 International Energy Conservation Code, using either all natural gas appliances or electric equivalents.

- Modeled consumption based on the EnergyPlus software using sample building files created by DOE with hourly, monthly, and annual outputs. A similar analysis has been performed by [RMI](#).
- EnergyPlus outputs are combined with publicly available cost (EIA and NAHB) and emissions (NREL, EPA, DOE GREET, and ICF) data.
- Outputs: Cost savings are based on natural gas use and equivalent all-electric options. The model uses marginal costs for better bill estimation. Emissions are based on the meter and reflect a lifetime for appliances in the home.



New Household Energy and Appliance Scenarios

Baseline

Advanced

Emerging

All-Electric Home

Advanced All-Electric

Natural Gas Hybrid

Space Heating

8.8 HSPF2 Heat Pump

11 HSPF2 Cold Climate Heat Pump

95% AFUE Furnace w/
8.8 HSPF2 Heat Pump

Water Heating

99% COP Tanked Water Heater

220% COP Tanked Water Heater

95% COP Tankless Water Heater

Stove / Dryer

Electric Stove and Dryer

Induction Stove and Electric Dryer

Gas Stove and Dryer

Space Cooling

16 SEER Heat Pump

19 SEER Heat Pump

16 SEER Heat Pump

Natural Gas Home

Advanced Natural Gas

Natural Gas Heat Pump

80% AFUE Furnace

95% AFUE Furnace

140% COP Gas Heat Pump

64% COP Tanked Water Heater

95% COP Tankless Water Heater

95% COP Tankless Water Heater

Gas Stove and Dryer

Gas Stove and Dryer

Gas Stove and Dryer

16 SEER Air Conditioner


19 SEER Air Conditioner

19 SEER Air Conditioner

Natural gas households typically have the lowest energy costs compared with similar electric configurations.

Annual Energy Costs for Gas or Electric Uses

Dollars per Year



Key Takeaways

A single-family home with standard natural gas appliances costs \$1,132 less per year than a similar all-electric home. With advanced condensing appliances, homes can save \$1,243.

Compared with an electric cold-climate heat pump, the advanced natural gas home can save \$492 a year or thousands over the life of the equipment. A gas-fueled heat pump can save even more, saving \$651 in the first year.

92% of all centrally-ducted electric heat pumps have an HSPF below 9.2


Most (75%) new natural gas homes currently install with a high-efficiency furnace.

Less Volatility Each Month & Lower Winter Bills Overall

- The modeled natural gas home (95% furnace) has lower monthly bills than both all-electric configurations.
- For new homes that rely on the baseline efficiency for all-electric appliances, monthly winter bills were more than \$200 higher from December through February.
- The cold climate (11 HSPF2) all-electric home has slightly lower summer bills (\$10-\$20) due to the additional customer charges for natural gas service in the gas home. This cost occurs each month and typically ranges between \$10 to \$25 a month based on the utility.
- Including customer charges for gas service, overall annual operating costs are between \$491 and \$1,243 lower in the natural gas house.

Monthly Energy Costs for All End Uses


Dollars per Month



Natural gas retains a long-term price advantage in U.S. government energy outlook

Residential Retail Energy Prices

Dollars (2022\$) per MMBtu




Upfront Costs and Impact on Builders

- **Costs to builders to install non-condensing and condensing gas furnaces are nearly the same**, helping explain why most new households install higher-efficiency condensing equipment.
- **All-electric options can cost less to build but result in higher operating costs.** Based on builder and homeowner preferences, this is only happening in the warmer US climates.
- Cold-climate electric heat pump installation costs are higher than natural gas and may have higher operating costs.
- Gas heat pumps (even in smaller homes) and hybrids can be a more cost-efficient alternative than the advanced all-electric.

New Residential Installation Costs

Dollars (2022\$)



Row houses, mixed-use, and multi-family buildings can affect installation costs, particularly with condensing equipment.

Source: Home Innovation Research Labs - Cost and Other Implications of Electrification Policies on Residential Construction 2021


The Value of Natural Gas and Emissions Reduction



Natural gas is the most affordable option while contributing to lower carbon emissions

15-Year Lifecycle Costs, All Appliances

Thousand Dollars (2024\$)



- **Natural gas typically has the lowest lifecycle cost compared to any all-electric solution.** A home with all condensing appliances would save the most while lowering emissions by 17% compared to the most popular baseline heat pump efficiency.
- Advanced gas homes produce comparable emissions as advanced cold climate heat pumps, but consumer costs are thousands less over 15 years.
- Renewable natural gas costs contribute a small fraction of annual energy costs but can have a big impact on emissions.
- A natural gas heat pump or a hybrid system costs about the same over 15 years and emits the least amount of carbon. Both have cheaper lifecycle costs than 100% electrification.


Natural gas and electricity costs based on EIA Annual Energy Outlook 2023. Renewable Natural gas "RNG" costs are fixed at current estimates made by ICF. All operating costs are subject to a 3% discount rate. Electric power emissions based on NREL Cambium database.

Cost and Resource Potential for Renewable Natural Gas to Offset Residential Natural Gas Emissions

- By 2040, the **production of RNG is expected to offset one-third of total residential and commercial natural gas demand**, with an average annualized mix of 20% over the next 15 years.
- From an emissions standpoint, using **1 unit of RNG offsets 96% of the emissions** from conventional natural gas, which has an average carbon footprint of 63 kg CO₂e per MMBtu
- The **projected average cost of renewable natural gas (RNG) for residential homes is \$21.24 per MMBtu**, about 50% higher than the average residential price of natural gas in 2023.
- The annual gas bill of an all-condensing home was \$784, and the **incremental cost of 20% RNG was \$92 or \$458 for 100%**.

Estimated Average Annual RNG Production in 2040


Based on AGF Renewable Sources of Natural Gas 2019 Study
tBtu/year



NREL Cambium Database Used to Model Long Term Electric Emissions

NREL Total Projected US Generation

Millions of GWh/year




- NREL's model outputs projections on hourly average and marginal emissions rates. Hourly long-term marginal emissions rates are critical for evaluating policies that can impact changes to current trends.
- The database is the only source of electric grid emissions data that is free and publicly accessible and contains this level of detail.
- Incorporates current federal (IRA) and local policies (Renewables Only Mandates) that encourage or require new renewable power generation.
- Not unlike any other projected forecast, estimates on emissions beyond a short time can be very uncertain. Within this analysis, the use of the data out to 2040 projects meaningful emissions reductions from the electric power sector but net zero from electricity is not met nationwide by 2050 based on NREL's analysis.

Because of Current Efforts of Gas and Electric Utilities, Most New Homes Built Today Could Produce 40% Fewer Emissions by 2040

- The adoption of efficient natural gas equipment is expected to cut individual household greenhouse gas emissions by 40% by 2040. A large share of a home's total remaining carbon footprint, even in 2040, comes from electricity usage regardless of space and water heating fuel.
- Sources of methane from electricity generation in all-electric homes are forecasted to similarly match emissions from natural gas homes assuming zero improvements are made to gas infrastructure by 2040.
- Noting that both all-electric and natural gas homes can reach similar carbon footprints by 2040, homes that use natural gas have additional options for lower emissions. Access to RNG is a cost-effective way to reduce emissions and add additional flexibility to low or net-neutral carbon policies.
- Additional focus on installing gas heat pumps and hybrids can further free up more RNG to be delivered to homes than modeled.

Projected Residential Greenhouse Gas Emissions in 2040 Metric tons of CO2e emitted/avoided per year



Annual emissions for 2040 are based solely on the projected greenhouse gas emissions for that year and do not reflect the 15-year average. While all homes modeled exhibit significantly lower emissions by 2040, relying on grid-sourced electricity alone does not achieve nationwide carbon neutrality. To reach net-zero emissions beyond 2040, households will need to adopt multiple strategies, such as rooftop solar, renewable natural gas, and more energy-efficient appliances as a baseline.


How natural gas is achieving emission reductions through 2040 and beyond

Composition of Emissions Reductions for Natural Gas Appliances in this Study ([Market Status](#))

1. High-efficiency natural gas wherever physically installable is the standard, for new construction in all climates. [Mature](#)
2. A cumulative reduction in emissions from RNG through 2040 that results in an average cut of 20% a year for traditional furnaces. [Early](#)
3. Gas heat pumps and hybrids are the new target for consumers to consume less and utilize higher shares of RNG per building. [Early/ Growth](#)
4. Assumes the same deep decarbonization goals set for electric usage for all scenarios studied. [Growth](#)

Summary of Types of 2050 Emission Reductions ICF Net-Zero Emissions Opportunities for Gas Utilities


Million Metric Tons of CO₂e



Households Maximizing RNG Can Cost-Effectively Eliminate Greenhouse Gas Emissions From Natural Gas Appliances

15-Year Lifecycle Costs, All Appliances

Thousand Dollars (2024\$)



15-Year Life Cycle GHG Emissions

Gas or Electrified Equipment Total Home

80.7	151.8
44.9	114.1
59.2	131.7
2.7	77.6
1.9	73.3
18.9	86.9
2.2	74.9

46
70
36
59
MMBtus of RNG per Year to 100% Match

Metric Tons CO₂e
100 Year GWP

- **RNG is an emissions reduction solution for households.** A new home today could completely reduce emissions from natural gas by matching 100% of the fuel used with RNG.
- **RNG use is expected to grow.** Based on the AGF study's projections for RNG production, available RNG volumes by 2040 could be equivalent to more than 30% of current residential and commercial natural gas. Greater energy efficiency and policies aimed at growing RNG resources can bolster RNG availability to consumers.
- **More efficient equipment reduces overall demand.** Compared to the baseline natural gas home, a gas heat pump could reduce site gas consumption by 35%. With condensing natural gas appliances and a hybrid heat pump, site gas consumption could be reduced by 49%. Combined with RNG, this can enable net neutral emissions for residential gas customers by 2050.


Natural gas and electricity costs based on EIA Annual Energy Outlook 2023. Renewable Natural gas "RNG" costs are fixed at current estimates reported by American Gas Foundation 2019. All operating costs subject to a 3% discount rate. Normalizing for weather, the average US household consumed 67 MMBtu in 2023 (compared to the modeled baseline of 70 MMBtu). Electric power emissions based on NREL Cambium database.

Advanced Gas Homes Are More Cost-Effective for Greenhouse Gas Emissions Reductions Compared to All-Electric. Using RNG Improves Cost-Effectiveness While Achieving Steeper Emissions Reductions.

- The baseline 8.8 HSPF2 all-electric heat pump scenario has the highest average carbon footprint among all scenarios, based on estimated 2024 CO2e emissions. Therefore, this scenario serves as the reference point for emissions and cost comparisons.
- According to NREL's electric grid forecast, relying on grid decarbonization will reduce total emissions by 17% over 15 years, at a cost of \$1,081 per metric ton of CO2e reduced.
- The high adoption rate of advanced condensing gas appliances in new single-family homes demonstrates that natural gas can achieve lower emissions than the more commonly installed baseline heat pump home at a significantly lower cost per ton of CO2e reduced.
- Assuming an 20% blend of RNG annualized through 2040, the advanced gas home will result in similar amount of greenhouse gas emissions as a 11 HSPF2 heat pump home, but the heat pump will result in 130% higher costs per metric ton of CO2e reduced.

Cost of GHG Emissions Reduction

Total Modeled Home, Natural Gas or Electrified End Uses Only



The cost-effectiveness of emissions reductions is defined in terms of dollars per metric ton of greenhouse gas emissions reduced. The reference point for emissions reduction is the Baseline 8.8 HSPF Heat Pump, which could emit 71.5 metric tons of CO2e over 15 years, assuming no reductions in emissions from electric grid-sourced energy. The cost was calculated based on the net installation cost compared to gas and the total cost to operate over 15 years.

Discussion and Policy Considerations



Discussion and Policy Considerations

1. New natural gas homes outnumber electric 5 to 1 in moderate to cold climates and are commonly built with high-efficiency gas furnaces in 75% or more of homes.
2. The baseline natural gas home saves \$1,132 annually in energy costs compared to the equivalent all-electric home. A natural gas home with high-efficiency appliances saves \$492 per year compared to a home with an electric cold-climate heat pump.
3. 60% of homes with a heat pump exist beyond access to natural gas. Natural gas and electric heat pumps serve as complementary solutions helping individual households improve energy efficiency based on the best options available to them.
4. Renewable natural gas (RNG), hybrid heating, natural gas heat pumps, and high-efficiency gas appliances can reduce costs and emissions compared to all-electric homes.
5. An all-gas home with a condensing natural gas furnace and a mix of RNG can reduce lifetime emissions by 17% compared to a typical all-electric build and match the lifecycle GHG emissions of a cold-climate heat pump while remaining more cost-effective.

Contact

Brendan O'Brien, Director, Energy Analysis
P: 202-824-7220 | bobrien@aga.org

Copyright © 2024 American Gas Association. All Rights Reserved.

Notice: In issuing and making this publication available, AGA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is AGA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. The statements in this publication are for general information and represent an unaudited compilation of statistical information that could contain coding or processing errors. AGA makes no warranties, express or implied, nor representations about the accuracy of the information in the publication or its appropriateness for any given purpose or situation. This publication shall not be construed as including, advice, guidance, or recommendations to take, or not to take, any actions or decisions regarding any matter, including without limitation relating to investments or the purchase or sale of any securities, shares or other assets of any kind. Should you take any such action or decision; you do so at your own risk. Information on the topics covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.